#### **OVE Austrian Electrotechnical Association**

Eschenbachgasse 9 | 1010 Wien | Austria

ZVR: 327279890 | www.ove.at

#### **OVE Certification**

Kahlenberger Str. 2A | 1190 Wien | Austria T +43 1 370 58 06 | certification@ove.at

Validity of ÖVE-Certificates can be checked at www.ove.at



Page 1 of 14

# **ÖVE-CERTIFICATE**

including the entitlement to use the Austrian Safety Mark



Certificate No.: 43-224-06 Valid from: 2023 06 23

until: 2024 06 04

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

PC Electric Ges.m.b.H. Company:

Diesseits 145

4973 St. Martin im Innkreis

Austria

Product: Appliance inlets for industrial purposes

The products submitted by the applicant were type tested in accordance with the requirements of the technical standards and specifications listed in this certificate. OVE certifies the conformity of the listed products and those products manufactured strictly identical to the submitted ones (EN ISO/IEC 17067, Conformity Assessment Scheme Type 5).

The manufacturing process and the products are subject to ongoing surveillance based on harmonized European procedures. This certificate has been issued under the presumption and conditional on the fact that the applicant holds all necessary legal rights with regard to the product, presented for the testing and certification.

Results of testing are shown in file No(s).: TGM-VA EE 39294

# Österreichischer Verband für Elektrotechnik


Head of OVE Certification

Digitally signed by M. Neugebauer behalf of T. Neumayer Email=m.neugebauer@ove.at

Dipl.-Ing. T. Neumayer



Wien, 2023 06 23







Certificate No.: 43-224-06 Date: 2023 06 23

Page 2 of 14

#### Manufacturer:

PC Electric Ges.m.b.H. Diesseits 145 4973 St. Martin im Innkreis Austria

#### Factory location(s):

PC Electric Ges.m.b.H. Diesseits 145 4973 St. Martin im Innkreis Austria

#### Tested and certified according to:

ÖVE/ÖNORM EN 60309-1:2013-03-01 OVE EN IEC 60309-1:2023-07-01 ÖVE/ÖNORM EN 60309-2:2013-03-01 OVE EN IEC 60309-2:2023-07-01

This certificate is the basis for the EU Declaration of Conformity and the CE Marking by the manufacturer or his agent and shows the conformity of the certified product(s) with the listed standards as defined by the EU Low-Voltage Directive 2014/35/EU. For the presumption of conformity according to Art. 12 with the safety objectives according to Art. 3 of the Directive, transitional periods given in the Official Journal of the European Union have to be observed.

### **Product: Appliance inlets for industrial purposes**

Rating:	Tradomaria.
523 Rated current: 32 A 2P+E IP44 or IP44/IP54 Wall appliance plug screw terminal	PCE / ELCEE / SIROX / METECEE
Rated current: 32 A 2P+E IP44 or IP44/IP54 flanged plug, straight screw terminal	PCE / ELCEE / SIROX / METECEE

Trademark:



Type designation:





Date: 2023 06 23 Page 3 of 14

77723 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP44 or IP44/IP54 flanged plug, angled screw terminal

9523 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP44 or IP44/IP54

wall mounted plug, two cable inlets

screw terminal

95223 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP44 or IP44/IP54

wall mounted plug with socket outlet for household

screw terminal

524 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP44 or IP44/IP54 Wall appliance plug screw terminal

624 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP44 or IP44/IP54 flanged plug, straight screw terminal

7724 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP44 or IP44/IP54

phase inverter wall mounted plug

screw terminal

8624 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP44 or IP44/IP54

phase inverter flanged plug, straight

screw terminal





Date: 2023 06 23 Page 4 of 14

77724 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP44 or IP44/IP54 flanged plug, angled screw terminal

77824 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP44 or IP44/IP54

phase inverter flanged plug, angled

screw terminal

9524 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP44 or IP44/IP54

wall mounted plug, two cable inlets

screw terminal

98524 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP44 or IP44/IP54

phase inverter wall mounted plug, two cable inlets

screw terminal

525 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54 Wall appliance plug screw terminal

625 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54 flanged plug, straight screw terminal

7725 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54

phase inverter wall mounted plug

screw terminal





Date: 2023 06 23 Page 5 of 14

8625 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54

phase inverter flanged plug, straight

screw terminal

77725 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54 flanged plug, angled screw terminal

77825 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54

phase inverter flanged plug, angled

screw terminal

9525 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54

wall mounted plug, two cable inlets

screw terminal

95225 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54

wall mounted plug with socket outlet for household

screw terminal

98525 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54

phase inverter wall mounted plug, two cable inlets

screw terminal

985225 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54

wall mounted phase inverter with domestic socket outlet

screw terminal





Date: 2023 06 23 Page 6 of 14

5232 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP67 or IP66/IP67 Wall appliance plug screw terminal

6232 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP67 or IP66/IP67 flanged plug, straight screw terminal

777232 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP67 or IP66/IP67 flanged plug, angled screw terminal

5242 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP67 or IP66/IP67 Wall appliance plug screw terminal

6242 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP67 or IP66/IP67 flanged plug, straight screw terminal

77242 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP67 or IP66/IP67

phase inverter wall mounted plug

screw terminal

86242 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP67 or IP66/IP67

phase inverter flanged plug, straight

screw terminal





Date: 2023 06 23 Page 7 of 14

777242 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP67 or IP66/IP67 flanged plug, angled screw terminal

778242 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP67 or IP66/IP67

phase inverter flanged plug, angled

screw terminal

5252 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP67 or IP66/IP67 Wall appliance plug screw terminal

6252 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP67 or IP66/IP67 flanged plug, straight screw terminal

77252 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP67 or IP66/IP67

phase inverter wall mounted plug

screw terminal

**86252** PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP67 or IP66/IP67

phase inverter flanged plug, straight

screw terminal

777252 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP67 or IP66/IP67 flanged plug, angled screw terminal





Date: 2023 06 23 Page 8 of 14

778252 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP67 or IP66/IP67

phase inverter flanged plug, angled

screw terminal

523TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP44 or IP44/IP54 Wall appliance plug screwless terminal

623TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP44 or IP44/IP54 flanged plug, straight screwless terminal

77723TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP44 or IP44/IP54 flanged plug, angled, screwless terminal

9523TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP44 or IP44/IP54

wall mounted plug, two cable inlets

screwless terminal

95223TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP44 or IP44/IP54

wall mounted plug with socket outlet for household

screw and screwless terminals

**524TT** PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP44 or IP44/IP54 Wall appliance plug screwless terminals





Date: 2023 06 23 Page 9 of 14

624TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP44 or IP44/IP54 flanged plug, straight screwless terminals

77724TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP44 or IP44/IP54 flanged plug, angled screwless terminals

9524TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP44 or IP44/IP54

wall mounted plug, two cable inlets

screwless terminals

**525TT** PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54 wall mounted plug screwless terminals

625TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54 flanged plug, straight screwless terminals

77725TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54 flanged plug, angled screwless terminals

77825TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54

phase inverter flanged plug, angled screw and screwless terminals





Date: 2023 06 23 Page 10 of 14

9525TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54

wall mounted plug, two cable inlets

screwless terminals

95225TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54 wall mounted plug with socket outlet for household

screw and screwless terminals

**5232TT** PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP67 or IP66/IP67 wall mounted plug screwless terminals

6232TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP67 or IP66/IP67 flanged plug, straight screwless terminals

777232TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP67 or IP66/IP67 flanged plug, angled screwless terminals

**5242TT** PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E


IP67 or IP66/IP67 wall mounted plug screwless terminals

6242TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP67 or IP66/IP67 flanged plug, straight screwless terminals







Date: 2023 06 23 Page 11 of 14

777242TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP67 or IP66/IP67 flanged plug, angled screwless terminals

**5252TT** PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP67 or IP66/IP67 wall mounted plug screwless terminals

6252TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP67 or IP66/IP67 flanged plug, straight screwless terminals

777252TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP67 or IP66/IP67 flanged plug, angled screwless terminals

778252TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A 3P+N+E

IP67 or IP66/IP67

phase inverter flanged plug, angled screw and screwless terminals





Certificate No.: 43-224-06 Date: 2023 06 23 Page 12 of 14

5	2	5 2	Τ-	6	Тт	TI	k	1	v				Ğ				
	<u> </u>	)   <u>2</u>	<u>-                                    </u>	1 0		<u> </u>	计	1	<u> </u>	contacts							
										blank							
										٧	nickel plated contacts						
										colour							
										blank							
										X	<u> </u>						
										*							
										hinged	hinged lid						
							<u>L</u>				blank without hinged lid						
										d							
										wall me	wall mounted housing						
										blank two-part wall mounted housing							
										k							
											terminals						
										blank	screw terminals						
										TT	screwless terminals						
											acition corthing conta						
										1	oosition earthing contain	7	7h				
						2	2h	8	8h								
					3	3h	9	9h									
										4	4h	10	10h				
										5	5h	11	11h				
										6	6h	12	12h				
										custon	customer type						
			L							-	- trademark PCE						
										degree	of protection						
		L									blank IP44 or IP44/IP54						
										2							
										Poles							
										3	3-poles						
										4	4-poles						
										5	5-poles						
										Rated	Rated current						
										2							
										Ground	d type						
<u> </u>										5	Ground type 5 wall mounted plug						
										6	flanged plug straight						
										77	wall mounted phase inverter						
										86	flanged phase inverter straight						
										777							
										778							
										95	wall mounted plug (two cable entry)						
										952	wall mounted plug with						
										985	wall mounted phase inverter (two cable entry) wall mounted phase inverter with socket outlet for houshold						
										9852	waii mounted phase inv	zeπer wit	n socket outlet for noushold				





Certificate No.: 43-224-06 Date: 2023 06 23

Page 13 of 14

## **Typelist**

Туре	Rated current A	Earthing contact pos.	Rated operating voltage V	Frequency Hz	Insulation voltage V
		1	Other ratings	Other ratings	690
		2	>50	>300 - 500	690
523		3	>50 - 250	DC	690
623		4	100 - 130	50 and 60	690
77723		6	200 - 250	50 and 60	690
9523 95223**)	32	7	480 - 500	50 and 60	690
5232		8	>250	DC	690
6232		9	380 - 415	50 and 60	690
777232		10	>50	>100 - 300	690
		12	Supply from an isolating transformer	50 and 60	690
524		1	Other ratings	Other ratings	500, 690
624		2	>50	>300 - 500	500, 690
7724*) 8624*)		3	380 440	50 60	500, 690
77724		4	100 - 130	50 and 60	500, 690
77824*)		5	600 - 690	50 and 60	690
9524	32	6	380 - 415	50 and 60	500, 690
98524*)	02	7	480 - 500	50 and 60	500, 690
5242		9	200 - 250	50 and 60	500, 690
6242		10	>50	>100 - 300	500, 690
77242*)		11	440 - 460	60	500, 690
86242*) 777242 778242*)		12	Supply from an isolating transformer	50 and 60	500, 690
525		1	Other ratings	Other ratings	500, 690
625		2	>50	>300 - 500	500, 690
7725*) 8625*)		3	220/380 250/440	50 60	500, 690
77725		4	57/100 - 75/130	50 and 60	500, 690
77825*)		5	347/600 - 400/690	50 and 60	690
9525		6	200/346 - 240/415	50 and 60	500, 690
95225**)	32	7	277/480 - 288/500	50 and 60	500, 690
98525*)		9	120/208 - 144/250	50 and 60	500, 690
985225**)	<u> </u>	10	>50	>100 - 300	500, 690
5252 6252		11	250/440 - 265/460	60	500, 690
77252*) 86252*) 777252 778252*)		12	Supply from an isolating transformer	50 and 60	500, 690

<sup>\*)</sup> Phase inverter 7724, 8624, 77824, 98524, 77242, 86242, 778242, 7725, 8625, 77825, 98525, 77252, 86252, 778252 only with Insulation voltage 500 V



<sup>\*\*) 95223, 95225, 985225</sup> only with "Earthing contact position 6h"



Certificate No.: 43-224-06 Date: 2023 06 23 Page 14 of 14

Туре	Rated current A	Earthing contact pos.	Rated operating voltage V	Frequency Hz	Insulation voltage V
		1	Other ratings	Other ratings	690
		2	>50	>300 - 500	690
523TT		3	>50 - 250	DC	690
623TT	32	4	100 - 130	50 and 60	690
77723TT		6	200 - 250	50 and 60	690
9523TT 95223TT**)		7	480 - 500	50 and 60	690
5232TT		8	380 - 415	50 and 60	690
6232TT		9	>250	DC	690
777232TT		10	>50	>100 - 300	690
77723211		12	Supply from an isolating transformer	50 and 60	690
		1	Other ratings	Other ratings	690
		2	>50	>300 - 500	690
524TT		3	380 440	50 60	690
624TT		4	100 - 130	50 and 60	690
77724TT		5	600 - 690	50 and 60	690
9524TT	32	6	380 - 415	50 and 60	690
5242TT		7	480 - 500	50 and 60	690
6242TT		9	200 - 250	50 and 60	690
777242TT		10	>50	>100 - 300	690
		11	440 - 460	60	690
		12	Supply from an isolating transformer	50 and 60	690
		1	Other ratings	Other ratings	500, 690
525TT		2	>50	>300 - 500	500, 690
625TT		3	220/380 250/440	50 60	500, 690
77725TT		4	57/100 - 75/130	50 and 60	500, 690
77825TT*) 9525TT	32	5	347/600 - 400/690	50 and 60	500, 690
9525TT**)		6	200/346 - 240/415	50 and 60	500, 690
5252TT		7	277/480 - 288/500	50 and 60	500, 690
6252TT		9	120/208 - 144/250	50 and 60	500, 690
777252TT		10	>50	>100 - 300	500, 690
778252TT*)		11	250/440 - 265/460	60	500, 690
,		12	Supply from an isolating transformer	50 and 60	500, 690

<sup>\*) 77825</sup>TT, 778252TT Phase inverter with Insulation voltage 500 V





<sup>\*\*) 95223</sup>TT, 95225TT only with "Earthing contact position 6h"