



# ÖVE-CERTIFICATE

including the entitlement to use the Austrian Safety Mark



Certificate No.: **43-254-01**

Valid from: 2023 12 21  
until: 2025 11 23

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

Certificate holder: **PC Electric Ges.m.b.H.**  
Diesseits 145  
4973 St. Martin im Innkreis  
Austria

Product: **Socket-outlets for charging of electric vehicles**

The products submitted by the applicant were type tested in accordance with the requirements of the technical standards and specifications listed in this certificate. OVE certifies the conformity of the listed products and those products manufactured strictly identical to the submitted ones (EN ISO/IEC 17067, Conformity Assessment Scheme Type 5).

The manufacturing process and the products are subject to ongoing surveillance based on harmonized European procedures. This certificate has been issued under the presumption and conditional on the fact that the certificate holder holds all necessary legal rights with regard to the product, presented for the testing and certification.

Results of testing are shown in file No(s): **OVE-210794**

**Österreichischer Verband für Elektrotechnik**  
Head of OVE Certification

*T. Neumayer*  
Digitally signed by T. Neumayer  
Email=t.neumayer@ove.at

Dipl.-Ing. T. Neumayer

Wien, 2023 12 13



## OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.



**Manufacturer:**

PC Electric Ges.m.b.H.  
Diesseits 145  
4973 St. Martin im Innkreis  
Austria

**Factory location(s):**

PC Electric Ges.m.b.H.  
Diesseits 145  
4973 St. Martin im Innkreis  
Austria

**Tested and certified according to:**

ÖVE/ÖNORM EN 62196-1:2015-07-01  
OVE EN 62196-2:2017-12-01

**Product: Socket-outlets for charging of electric vehicles**

**Type designation:**

*Rating:*

**Trademark:**

**e325**

Rated voltage: AC 480 V  
Rated current: 32 A  
3P+N+PE+CP+PP  
for control contacts CP+PP: AC 30 V; 2 A  
Type 2, Standard Sheet: 2-IIa  
with mechanical interlock  
IP54, IP44 with opened draining hole  
3P+N+PE: 2,5 bis 6mm<sup>2</sup> (r/f); 10mm<sup>2</sup> (r)  
CP+PP: 0,5mm<sup>2</sup>

PCE

**OVE Certification**

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.